

**PRODUCTS & SERVICES**

- PROCESS VALVES
- HIGH PRESSURE VALVES
- SEVERE SERVICE VALVES
- THERMOPLASTIC VALVES
- INSTRUMENT VALVES
- CONTROL VALVES
- AUTOMATION
- POSITIONERS
- STRAINERS
- TUBING
- FITTINGS
- BRAIDED HOSE
- CLAMPS
- GAUGES
- PRESSURE TRANSMITTER
- PRESSURE SWITCHES
- THERMOMETERS
- LEVEL TRANSMITTERS
- BOILER PROBES
- GEARBOXES
- STEAM TRAPS
- EXPANSION JOINTS
- MOTORS
- PUMPS
- HEAT TRACE
- INDUSTRIAL HEATERS
- SYSTEM COMPONENTS
- OSHA APPROVED PLATFORMS
- STAIRS & LADDERS
- ROLLING LADDER PLATFORMS
- SAFETY GATES
- GUARD RAILS
- BOLLARDS
- RACK GUARDS
- LOADING DOCK SAFETY
- GANGWAY & LOADING
- PALLET RACKS
- MEZZANINES
- WIRE PARTITIONS
- MODULAR BUILDINGS



**Size: 1/4"-12"**  
**Press Cl. 150-600**  
**Temp. -148 deg F-662 degF**  
**Depending on application**



**Size: 1/2"-48"**  
**Press. Cl. 150-2500**  
**Temp. -70 deg F- 700 degF**  
**Depending on application**



**Size: 2"-48"**  
**Press. Cl. 150-2500**  
**Temp. -40 degF -850**



**Size: 1"-40"**  
**Press. 150degF- 375 degF**  
**Temp. -20 degF -320 degF**



**Size: 1/4"-18"**  
**Press. Cl. 150# - 2500#**  
**Temp. -450 degF-550 degF**



**Size: 2"-48"**  
**Press Cl. 150-1500**  
**Temp. -40 degF - 660 degF**

**Valves & Actuators:** On/ off globe valve, control globe valve, sliding gate valve, ball sector, sigmented disc, pinch, diaphragm, manual valve, positioner, electric actuator, sanitary valve, custom solution, accessories, wide variety of sizes, press class, end connections screw, SW, flange, clamp, materials based on type style and application, high rangeability 50:1, class, IV, V & VI seat tightness designs, certification: 3A, EHEDG, FDA compliant, USP cl. VI, Industries tire, rubber, plastics, food & beverage, textile, chemical, metallurgy, energy, water treatment, pharma & cosmetics, pulp & paper, glass

**Check Valves:** Spring assist non-slam axial flow silent check valve, dual guided, pulse-damping, liquid, gas, steam, connections: flanged, RTJ, THD, wafer, clamp, butt weld, inline-repairable, nickel-aluminum bronze, cast iron, LCB, WCB, SS, exotic alloy wide range vac/ press class CWP & ASME \* model / material specific, available in soft seats for bubble tight shutoff, MSS SP 126-2000, API 6D, API 6FD, MSS SP 61, NACE  
 Applications: Chemical, Petroleum & Refining, Mining, Pulp & Paper, Textiles, Power, Food & Beverage, Steel

**Gate, Globe, Check, Ball Valves,** metal seated, floating, trunnion, 2-piece, 3-piece, uni-body, flange, threaded, socket weld, dual plate checks, cast & forged gate, globe, swing check, pig valve, Applications: Chemical, Refining, Petrochem, Power, Oil & Gas, Nat Gas, Terminal Storage, Pulp & Paper

**PFA Lined Valves:** butterfly valve, ball valve, pneumatic & manual  
**Acris Butterfly:** high performance PFA lined, Acriseal™ stem sealing system, end if line service, 2-piece wafer or lug, ISO 5752, API 609 top plate ISO 5211, FE standard ISO15848-1, ISO15848-2, drilling: AMSE B16.5CL150, ASME B16.1CL125 press rate up to 150psi, vac rate to 0.0002 psig, temp rating -20degF to 320degF  
**Ball Valve:** Fully PFA lined, 1 piece ball & stem, Durable, corrosion resistant TFM seat designed for zero leakage, low torque isolation, anti-static grounding device, ISO 5211 top mounting plate for easy actuation.

**Ball Valves:** standard port, full port, flanged, screwed, weld in, floating, cast & forged, 3 way, 4 way multi-port, trunnion, high performance 3-piece, eccentric, high temp metal seated, db&b, cryogenic, exotic alloy, ceramic, PFA lined, ISO 9901, CE & NACE, API-6D, API 607-7, ANSI B16.34, steam, liquid, gas, chemical, NG storage, NG compressor station, LNG, HRSG, subsea, lever, gearbox, electric, pneumatic actuation & controls

**Butterfly Valves:** resilient seated, double off-set high performance, TOV, metal seated, extended range series. Lug, Wafer, Flanged, BW, Body Ductile Iron, SS, Special Duplex, resilient seat EPDM, Buna, Viton, PTFE, Specials, sizes: 2" - 24", class 150-200 WOG, double off-set sizes 2" - 48" Class 150 & 300, fire safe, TOV 3"-48" press class 150-900, AWWA, API, 6D, CE, ISO 9001, ANSI and NACE standards, extended range sizes 3" - 120", press class 150-1500# ANSI, ABS Cert# 12-HS918322-PDA, pneumatic & electric automation, easy-link brackets & couplers, ISO Square adapt, spacer plates, positioners, filter regulators lubricators, speed control valve

**PRODUCTS & SERVICES**

- PROCESS VALVES
- HIGH PRESSURE VALVES
- SEVERE SERVICE VALVES
- THERMOPLASTIC VALVES
- INSTRUMENT VALVES
- CONTROL VALVES
- AUTOMATION
- POSITIONERS
- STRAINERS
- TUBING
- FITTINGS
- BRAIDED HOSE
- CLAMPS
- GAUGES
- PRESSURE TRANSMITTER
- PRESSURE SWITCHES
- THERMOMETERS
- LEVEL TRANSMITTERS
- BOILER PROBES
- GEARBOXES
- STEAM TRAPS
- EXPANSION JOINTS
- MOTORS
- PUMPS
- HEAT TRACE
- INDUSTRIAL HEATERS
- SYSTEM COMPONENTS
- OSHA APPROVED PLATFORMS
- STAIRS & LADDERS
- ROLLING LADDER PLATFORMS
- SAFETY GATES
- GUARD RAILS
- BOLLARDS
- RACK GUARDS
- LOADING DOCK SAFETY
- GANGWAY & LOADING
- PALLET RACKS
- MEZZANINES
- WIRE PARTITIONS
- MODULAR BUILDINGS



**Size: 3/8" -24"**  
**Press. Cl. SDR Rating**  
**Temp. Material App.**



**Size: product spec**  
**Press. Cl. Product spec**  
**Temp. product spec**



**Size: Prod. Spec.**  
**Press Cl. Prod Spec.**  
**Temp. Prod Spec.**



**Size: Prod. Spec.**  
**Press cl. Prod. Spec.**  
**Temp. Prod. Spec.**



**Size: 1/4"-2"**  
**Press Cl. 2500**  
**Temp. 1050 degF**



**Size: 2"-60" (style)**  
**Press. Rate 100-150(style)**  
**Temp. 50-850degF(style)**

**Thermal Plastic Valves, Pipe & Fitting, Fabricated Joints, Manifolds** Types: ball valve, gate valve, butterfly valve, Globe valve, ball check valve, swing check, wafer check, diaphragm valve, strainer, control globe, regulator, multi-port, needle, pneumatic & electric actuation, Materials Adv. PE, PVDF, PP, ECTFE, HDPE, PP-RCT  
**Pro-Vent® Duct System:** Materials PP2-48", PPs2-48", PPs-el 3-16", PE3-48", PVDF2-16"

**COOLSAFE™ Pre-insulated piping system:** Material PE, std. sizes up to 12"  
**Air-Pro®:** HDPE 1/2"-12per SDR, **Asahitec™:** Plumbing&HVAC, PP-RCT-1/2"-24"  
**Exclusive source for SuperLok zero leak technology:** Relief valves, needle valves, integral bonnet needle valves, union bonnet needle valves, welded valves & fittings, high press needle valves, high press check valves, plug & rising plug valves, ball valves, trunnion ball valves, cryogenic valves, Flg DD&B valves, micron tee & inline filters, quick connectors, push-on hose fittings, instrumentation valves & fittings, check valves, JIC fittings, ultra-high purity, DIN fittings, tubing: stick, coil, flexible, manifolds, high pressure, tubing benders, tubing clamps

**Low press. relief & vac valves, pressure regulators, back press regulators, strainers, check valves, gauge guards-isolators, foot valves** materials: steel, stainless steel, brass, titanium, monel, Hastelloy, alloy 20, PVC, CPVC, PVDF, PTFE, Sizes: 1/8" – 6", flanged & threaded connections, pressures: 0.30 psi (0.02 barg) – 50 PSI (340 barg), Temperatures up to 600 degF (315 deg C)

**STRAINERS:** basket, Y, duplex, fabricated, sizes: 1/2" – 16", press cl. ANSI 150-600 psi, screwed, flanged Cl, DI, CS, bronze, brass, SS, FRP

**Check valve:** double disc, single disc, globe, center guide, wafer, flanged, Screwed, Grooved ends, Body: Cl, CS

**Pump Protection:** suction diffusers, tri-flow control check valves, foot valve assemblies

**Butterfly Valve:** 2"-24", Press cl. 125-300 psi, wafer, lug, grooved end, fire protection, lever, pneumatic, 3,4 way solenoids, limit switches, speed control, manual override, lock out devices, positioners 4-20 mA, 3-15 psi

**MPS-YPG Valve:** Drain and vent Y-pattern globe valve, manufactured in USA by MPS, machined from solid bar stock, top entry style for ease of inline repairability, smart trim design, easy swap and customized mounting plate, ASME B16.34, Nitride /Stellite trim, available in F22, F91 body material, size: 2" 2500#. Other sizes on request. drop in trim replacement repair kit

**Knife Gate:-** uni-directional, bi-directional, slurry  
Applications: Power, Pulp & Paper, Water & Waste Water, Chemical & Petro Chemical, Food & Beverage, HVAC, Mining, Marine & Ship Build, Pharma, Bio-Tech, Oil & Gas, Alt Fuels, Sugar & Ethanol, General Svc, Material: body CF8, CF8M, WCB, DI, Liner: nat. rubber, Nitrile, Viton®, EPDM, Urethane, Metal RTF Packing: PTFE, Nitrile, Viton, Cooper wiper, Graphite

**PRODUCTS & SERVICES**

- PROCESS VALVES
- HIGH PRESSURE VALVES
- SEVERE SERVICE VALVES
- THERMOPLASTIC VALVES
- INSTRUMENT VALVES
- CONTROL VALVES
- AUTOMATION
- POSITIONERS
- STRAINERS
- TUBING
- FITTINGS
- BRAIDED HOSE
- CLAMPS
- GAUGES
- PRESSURE TRANSMITTER
- PRESSURE SWITCHES
- THERMOMETERS
- LEVEL TRANSMITTERS
- BOILER PROBES
- GEARBOXES
- STEAM TRAPS
- EXPANSION JOINTS
- MOTORS
- PUMPS
- HEAT TRACE
- INDUSTRIAL HEATERS
- SYSTEM COMPONENTS
- OSHA APPROVED PLATFORMS
- STAIRS & LADDERS
- ROLLING LADDER PLATFORMS
- SAFETY GATES
- GUARD RAILS
- BOLLARDS
- RACK GUARDS
- LOADING DOCK SAFETY
- GANGWAY & LOADING
- PALLET RACKS
- MEZZANINES
- WIRE PARTITIONS
- MODULAR BUILDINGS



**Traps Size: 3/8" – 6"**  
**Press Cl. 125-2500**  
**Eco-bolt: Sizes: 1/2"-2 1/2"**  
**Press. Cl. up to 300**  
**Temp. up to 464 degF**  
**Check Valve Size: 2"-20"**  
**Press. Cl. ANSI 150-2500**  
**Temp. Appl. Spec.**  
**Control Valve Size:**

**Steam Traps:** AK automatic drainage valve, BK thermostatic, DK thermodynamic, MK thermostatic membrane, SMK thermostatic SIP/CIP, eco-bolt wireless monitoring, High capacity, GMF manifolds, Quick EM drainage modules, UNA25PK-PS ball float/pump, UNA ball float, VK trap monitor, VKP trap testing

**Check valve:** dual plate, gravity circ, RK non-return

**Control Valve:** cooling water, gen. purpose, mech. press regulator, return temp. control

**Severe Service Valves:** ZK type control valve

**Isolation Valve:** GBV ball valve

**Strainer:** SZ 36A

**System Packages:** condensate Damping pot, condensate return unit, desuperheater systems, feedwater da units, flash vessels, heat exchangers, measuring pot, mixing cooler, pres. reduce stations, sample coolers, steam air dryers/separators, steam generators



**Size: Application Spec.**  
**Press. Cl. App. / Material Spec.**  
**Temp. App. / Material Spec.**

**Heat Trace:** cables, controls, connection kits, accessories, tube bundles, instrument enclosures, wireless sensing, xtreme™ duty

**Industrial Heaters & Systems:** process heaters, package skids, fuel gas conditioning, power control systems, electric steam boilers, steam superheaters, heat transfer, hot oil & process liquid vaporizers, load banks, air handlers, circulation & immersion heaters, storage tank heaters, Haz loc. & corrosive enviro. air heaters, industrial air & infrared heaters, direct connet industrial heaters & systems, xtreme™ industrial heaters & systems, C21™ immersion heaters



**Size: Application Spec.**  
**Press Cl. Material Spec.**  
**Temp. Material Spec.**

**Rubber Expansion Joints:** single, double, triple, quad arch, single wide arch, single, double, triple slip-on sleeve, concentric, eccentric reducing, lightweight, high press., high temp., lateral & angular offset, rubber flanged pipe, rubber flanged fittings, Hinge, universal, gimbal, adv. restrained, elbow press bal, ducting joints, flanged versatile ducting, PTFE composite, flanged standard ducting,

**Spray Shield & Cover:** transparent/translucent, solid fluoroelastomer PTFE. UV protection

**Penetration Seals:** all directional, 20psi @ 250degF, flanged or slip-on, custom design for larger movement, high press/high temp, split wrap designs, absorb noise, vibration, pipe misalignment, thermal movements, ground settling, seismic displacements

**Flex-Valve Pinch Valve:** abrasion/corrosion resist., non-clogging, tight seal on solids, interchangeability, wide material section.

**Flex-Valve Duck Bill Check Valve:** storm water, overflow systems



**Kemet:** diamond products, precision lapping, portable valve grinding, ultrasonic cleaning, materialography, geology

**LarsLap:** individual grinding heads. valve grinding materials, valve lapping machines, abrasives, abrasive suspension, paste & powders, diamond slurry oil based, diamond suspension water based, diamond slurry emulsion water/oil, diamond paste, boron carbide paste, cubic boron nitride (CBN)

**Precision Polishing:** micro abrasive products, superfinishing & grinding machines, ultra flexible abrasives, diamond micro finishing film, structured abrasive, agglomerate abrasives, diaflex super abrasive

Boiler Level Control Probes

**DANE DIVERSIFIED PRODUCTS LLC - 5260 FLORIDA AVE. ORANGE BEACH, AL 36561 [WWW.DANEDP.COM](http://WWW.DANEDP.COM)**

**LETHA LISENBY - 251-370-7721 – [LETHA@DANEDP.COM](mailto:LETHA@DANEDP.COM)**

**Donnie Lisenby – 251-504-5901 – [DONNIE@DANEDP.COM](mailto:DONNIE@DANEDP.COM)**

## PRODUCTS & SERVICES

- PROCESS VALVES
- HIGH PRESSURE VALVES
- SEVERE SERVICE VALVES
- THERMOPLASTIC VALVES
- INSTRUMENT VALVES
- CONTROL VALVES
- AUTOMATION
- POSITIONERS
- STRAINERS
- TUBING
- FITTINGS
- BRAIDED HOSE
- CLAMPS
- GAUGES
- PRESSURE TRANSMITTER
- PRESSURE SWITCHES
- THERMOMETERS
- LEVEL TRANSMITTERS
- BOILER PROBES
- GEARBOXES
- STEAM TRAPS
- EXPANSION JOINTS
- MOTORS
- PUMPS
- HEAT TRACE
- INDUSTRIAL HEATERS
- SYSTEM COMPONENTS
- OSHA APPROVED PLATFORMS
- STAIRS & LADDERS
- ROLLING LADDER PLATFORMS
- SAFETY GATES
- GUARD RAILS
- BOLLARDS
- RACK GUARDS
- LOADING DOCK SAFETY
- GANGWAY & LOADING
- PALLET RACKS
- MEZZANINES
- WIRE PARTITIONS
- MODULAR BUILDINGS



**Size: LP ½"- 4"  
HP ½"-2 ½"  
Press cl. LP  
ASME 150-600  
HP ASME 900-  
4500 LTD  
Max Temp: LP  
1022 degF HP**

**Ball valves:** severe service metal seated

**Low Press:** unidirectional, body material A105 CS, low alloy F22,F5,F9,F91, S/S 316,317,347, others on request, trim material 410SS,316SS,Gr. 660 (stem), Inconel 718, others on request, Coating HVOF CC and TC, QPQ Nitrided (low cycle), end connections SW (B16.11), BW (B16.25), FNPT (B1.201), RF (B16.5 & B16.10)

**High Press:** ½"-2 ½", Max Temp 1200 deg F 650 deg C, design ASME B16.34, API 598, ISO 5211, body material A105 CS, low alloy F11,F22,F5,F9,F91, others on request, trim materials 410SS, 718 Inconel, Gr. 660 (stem), others on request, HVOF & Spray & Fuse CC or TC , press. class ASME 900-4500 LTD, unidirectional, connections SW (B16.11)-Standard, BW (B16.25)



**Size: 3"-48"  
Press. Cl.  
ASME 150-  
2500  
Temp. -20 to**

**TOV-Triple off-set metal seat butterfly valve-** size 3"- 48", press. class ASME 150-2500, Temp. -20 deg F- 932 deg F, end connections, lug,wafer,short pattern,long pattern, design standard API 609, test standard API 598,body material WCB 216, CF8 A351, CF8M A351, CF3 A351, CG8M A351 , disc & seat material WCB A216/316 HF, CF8 A351/ 304 HF, CF8M A351/ 316 HF, CF3 A351/ 304L, CF3M A351/ 316L, CG8M A351/ 317 HF, Packing API 622, Options extend stem, NACE, Cryogenic



**Size: 2"-60"  
Press Cl:  
ANSI CWP  
150-1500 PSI**

**Centered Flow Control Valve:** patented trim design acts as a variable orifice, centering the abrasive flow. This protects the pressure containing valve body and the integrity of the downstream piping from erosion.SlurryFlo control valves; each one is customized trim designs manufactured with a unique seat plate geometry. Based on application requirements, the port area is waterjet cut and CNC machined to our engineers' exact specifications, Extreme Abrasion Resistance, Patented Trim Design, Centralized Flow, State-of-the-art 3D and CFD Software,standard and exotic materials (e.g. Carbon steel, 316 Stainless steel, Hastelloy, SuperDuplex, Titanium, etc). There are no limitations on materials.



### SERVICES

**GEARBOXES & PUMPS:** Rebuild, gearbox inspections,onsite gaer measurement, engineering,gearbox maching & parts, pneumatic and hydraulic cylindrical repair, hydraulic motor and pump repair, in-house manufacturing of all major internal components, certified KSB/Ebara/ABS/Pumpex Pump Repair Center custom fabrication of replacement parts, hydraulic cylinder component parts sales of all major hydraulic motors



### SERVICES

**MOTOR, ALIGNMENT, VIBRATION ANALYSISIST & REPAIRS:** AC motors, DC motors, gearboxes, pumps, blowers, generators, servo motors, fans, AC drives, DC drives, starters, and soft starts, turnkey removal & installation, motor commissioning services, equipment laser alignment, vibration spectrum analysis, thermo-graphic imaging & analysis, oil particle analysis, motor cleaning & lubrication programs and many more preventative and predictive mechanical maintenance services



### SERVICES

**Engineered Valve Parts & Repair:** VP2 program for parts manufacturing critical multi-stage trims, hydraulic repairs, fuel gas valve repairs, valve repair & refurbishment, automation services, field machine trailers,shop testing & repairs, outage management, ISN RAVS Plus® compliant

DANE DIVERSIFIED PRODUCTS LLC - 5260 FLORIDA AVE. ORANGE BEACH, AL 36561 [WWW.DANEDP.COM](http://WWW.DANEDP.COM)

LETHA LISENBY - 251-370-7721 – [LETHA@DANEDP.COM](mailto:LETHA@DANEDP.COM)

Donnie Lisenby – 251-504-5901 – [DONNIE@DANEDP.COM](mailto:DONNIE@DANEDP.COM)

**PRODUCTS & SERVICES**

- PROCESS VALVES
- HIGH PRESSURE VALVES
- SEVERE SERVICE VALVES
- THERMOPLASTIC VALVES
- INSTRUMENT VALVES
- CONTROL VALVES
- AUTOMATION
- POSITIONERS
- STRAINERS
- TUBING
- FITTINGS
- BRAIDED HOSE
- CLAMPS
- GAUGES
- PRESSURE TRANSMITTER
- PRESSURE SWITCHES
- THERMOMETERS
- LEVEL TRANSMITTERS
- BOILER PROBES
- GEARBOXES
- STEAM TRAPS
- EXPANSION JOINTS
- MOTORS
- PUMPS
- HEAT TRACE
- INDUSTRIAL HEATERS
- SYSTEM COMPONENTS
- OSHA APPROVED PLATFORMS
- STAIRS & LADDERS
- ROLLING LADDER PLATFORMS
- SAFETY GATES
- GUARD RAILS
- BOLLARDS
- RACK GUARDS
- LOADING DOCK SAFETY
- GANGWAY & LOADING
- PALLET RACKS
- MEZZANINES
- WIRE PARTITIONS
- MODULAR BUILDINGS



**VRX**  
**Size: 1"-8"**  
**Press. Cl. ANSI 150-900**  
**Temp. -60C - +500C**  
**6000HP-1"-12"**  
**Class 600,900,1500**  
**Size: 1"-8"**  
**Press. Cl. ANSI 150-600**  
**Temp. -60C to + 500C**  
**Desuperheaters**  
**Size: UP TO 24"-water connection up to 1.5"**  
**Press. Cl. ANSI 300-2500**  
**Temp. TMS:570C**  
**FMS: 150bar deltaP**  
**MAX 120bar**



**Size: application spec**  
**Press. Cl. Application spec**  
**Temp. Application spec**

**VRX(L)(H)** -ASME B16.34 single-seated, balanced, noise reduc anti-cav trims, class IV and Soft Seat shutoff, diaphragm control valve for use in steam, water, gas and process applications. Connections Flg, BW  
 Materials: LCB, WCB, WCC,WCG, CF8M

**6000HP**- med.-high press. apps. Connections thrd,flange,BW,SW, carbon steel, SS, globe & angle, parabolic or perforated cone,linear charac. Kvs 0.4a/to 1300,packing graphite, temp -60C to +560C, turndown 30 up to seat 15 & 50 after

**ROXY Double Eccentric Rotary Globe Control Valve** - designed to minimize friction between sealing components, qtr turn act. FTC or FTC Flangeless option.

**Desuperheaters:** DMBC 3" Flange connection class 300,600,900 nozzle area SS, high quality vortex nozzle +/- 1,5% acc. Install vert. or horiz., body mat. A182 F22 cl3, A 105, seat stellite, steam flg DN80, water flg DN25-DN40, water turndown ratio up to 33:1, min temp above sat. 5C. provides very good atomization of desuperheating water from only 3.5 bar above steam pressure at temp. control

**Gauges:** Process, StabliiZR™, industrial, economy, differential,3A sanitary,compress gas, special application, lead free

**Pressure Transmitters:** OEM, GP, aggressive media, intrinsically safe, low press, anti-clog submersible, all SS submersible, GP submersible, Hydraulic,3A sanitary, Differential, flush mount, explosion proof

**Pressure Switches:** GP, industrial, low press., differential, explosion proof  
**Diaphragm Seals:** PVC 2-piece, thread flush, sanitary, high press, med. duty, flanged seal, flanged flush mount, heavy duty 2-piece industrial, NACE 2-piece, isolation ring, in line flow thru, saddle weld

**Valves:** straight needle hard & soft seat, angle needle hard & soft seat, needle multiport, block & bleed single handle, block & bleed two handle, double block & bleed, mini ball lead free, needle valve lead free

**Thermometers:** HVAC gold case, industrial lead free 5", industrial lead free 9", bi-metal, HVAC bi-metal, clamp on, HVAC remote, solar digital bi-metal, surface magnet, Food & Bev, bi-metal, gas & vapor remote, industrial solar digital, hot water/ hot water lead free, tridicator

**Thermowells:** bi-metal thread, duct flange, industrial/lead free, sanitary, tridicator shut-off, flanged threaded, socket weld bi-metal, Weld-in threaded

**Accessories:** isolation ring tees, adj. snubber, cooling tower, over press protector, snubber/lead free. syphon, test plug/lead free test plug

## PRODUCTS & SERVICES

- PROCESS VALVES
- HIGH PRESSURE VALVES
- SEVERE SERVICE VALVES
- THERMOPLASTIC VALVES
- INSTRUMENT VALVES
- CONTROL VALVES
- AUTOMATION
- POSITIONERS
- STRAINERS
- TUBING
- FITTINGS
- BRAIDED HOSE
- CLAMPS
- GAUGES
- PRESSURE TRANSMITTER
- PRESSURE SWITCHES
- THERMOMETERS
- LEVEL TRANSMITTERS
- BOILER PROBES
- GEARBOXES
- STEAM TRAPS
- EXPANSION JOINTS
- MOTORS
- PUMPS
- HEAT TRACE
- INDUSTRIAL HEATERS
- SYSTEM COMPONENTS
- OSHA APPROVED PLATFORMS
- STAIRS & LADDERS
- ROLLING LADDER PLATFORMS
- SAFETY GATES
- GUARD RAILS
- BOLLARDS
- RACK GUARDS
- LOADING DOCK SAFETY
- GANGWAY & LOADING
- PALLET RACKS
- MEZZANINES
- WIRE PARTITIONS
- MODULAR BUILDINGS



**OSHA COMPLIANT MODULAR ACCESS:** pre-engineered 5-configurable components, platforms, stairs, ladders, crossover, height access, up & around customized platforming, material of construction- marine grade aluminum, galvanized steel, stainless steel, engineering services available

**SAFETY GATES:**

**FRP COMPOSITE STRUCTURES:** molded grating, pultruded grating, DynaForm structural shapes, custom pultrusion, open molding and custom grating grids, DynaRail & DynaRound guardrails & handrails, DynaRail ladders, stairs, fiberglass plate, pre-engineered crossovers, Safety-T-Stand®, ergonomic grating work mats, stair tread covers, metering pump stand, rooftop safety products, DynaRound Hatch Guard, DynaWeight Fall Protection System, DynaRound Warning Lines, Non-Penetrating Rooftop Walkway Grating

**ACCESSORIES:** clips, FRP hardware, grating pedestals, sealing & bonding kits, grating edge ramps

**MATERIAL HANDLING SOLUTIONS:** column protection, dock stop gates, hand rails, warehouse guard rails, lift-out/bolt-on, post protectors, safety gates, standard pallet rack, structural, pallet flow, carton flow, push back, die storage, pick module cantilever, double deep, drive In/drive through, narrow aisle automated storage and retrieval, lift tables, mezzanine & modular building solutions

**PARTITIONS:** tool cribs, machine guarding, driver cages, technical lockers, rack back

**SAFETY BARRIER PRODUCTS:** pedestrian guardrails, traffic guardrails, gates, topple barriers, car park barriers, bollards, column protection, dock buffers, dock gates, height restrictors, kerb guardrails, rack end barriers, rack leg protectors, safety signs, wall guards, RackEye™ impact detection, accessories-slides plates, retractable barrier tape kit, retractable barrier tape racking kit, site surveys

**CUSTOMIZED HEIGHT SAFETY & SAFETY ACCESS SYSTEMS:** tie down safety, vertical fall arrest in accordance with EN 353-1:2014 / EN 353-1:2018 / EN 353-1:2014 + A1:2017 OSHA 1910 + ANSI A14 -3 Securope QuickSet Cable Lifelines, SecuroRail Pro / MastLadder, SafeLadder Pro, Anchor Points in accordance with EN 795:2012 Type A | CEN/TS 16514:2013 ASSP/ANSI Z359.18, abseiling, fall arrest and restraint, fall arrest and restraint, collective fall arrest- guardrails, RopeClimber lifting equipment, davit arms, roof car

**Personal Protective Equipment:**

**ARC FLASH PPE:** shields for hardhats, safety helmets, hood & shrouds, replacement parts, arc flash goggles & balaclavas, arc flash face shield flashlight & mount kit, arc flash hood Octagonal ArcVent™, arc flash hood Hexagonal ArcVent™, arc flash Hood Rectangular ArcVent™, arc flash face shield cold weather inner lens

**INDUSTRIAL PPE:** heat reflective face shield windows, high temp/impact face shield windows, welding face shield windows & goggles, chemical splash face shield windows & goggles, specialty face shield windows, cap & hat brackets, headgear, sun shields for hardhats, knee shields

**FIREFIGHTER PPE:** A-TEC® structural goggles, parts & accessories